Attorney Docket No. 2003P00559WOUS

JC09 Rec'd PCT/PTO 11 0ET 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Application Number: Reinhold Roy Unassigned

Filing Date:

·Concurrently Herewith

Group Art Unit:

Examiner:

Title:

CONTROL DEVICE FOR A FUME EXTRACTION DEVICE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. 1.98, I am submitting a completed "INFORMATION DISCLOSURE STATEMENT BY APPLICANT" (Form PTO/SB/08A) with patents and/or publications as delineated therein attached.

DE 91 01 095 -- No English abstract available.

DE 100 28 333 discloses a control element on a window, door, or air inlet flap that connects electrically to a single- or multi-channel transmitter (S) to send a first signal (0) as control element shuts. If battery power is low, the first signal still transmits but is suppressed as second signal (1). Receiver (E) fitted elsewhere assesses the first or second signal and uses a relay or triac (K) to disconnect current path to power outlet (D) supplying ventilating system.

EP 0 411 599 discloses an apparatus for rinsing articles treated in an electroplating system, in particular plates (2) having drilled holes. On either side of the article, at least one spraying device is provided which is passed along the article from top to bottom and at a distance from it so that both sides of the article are sprayed with a jet of cleaning liquid. In order to be able to spray all the regions, in particular drilled holes, of a treated article with a

vertically or almost vertically incident spray jet, the spraying devices (4,5) can furthermore be moved on the apparatus in the horizontal direction (10,12) and that a conveyor device (9) is furthermore provided for this horizontal movement of the spraying devices.

DE 197 48 922 discloses an invention that relates to a ceiling system for cleanrooms (15) constructed of a plurality of joined grid-like profile bars (1) and module systems containing joint pieces (2), whereby the profile bars (1) and the joint pieces (2) each have two interspaced, stacked impermeable plane surfaces (18,19). A connected cavity (23) is located between said plane surfaces. The cavity (23) is provided with at least one supply opening (3) for supplying particle-free intake air and is provided with at least one discharge opening (4) for the supplied intake air. The discharge opening (4) is connected to a suction blower (5) and the suction blower (5) is designed and operable in such a way that a low pressure can be constantly maintained in the cavity opposite the cleanroom.

DE 197 26 864 discloses a system that includes at least two pressure measuring points arranged in the exhaust air collection duct. One of the measuring points lies near openings to the inner chamber of the flue. The other point lies near the connection (9) of the exhaust air collection duct (8) at an external construction side exhaust system. A pressure sensor is provided, which measures the differential pressure between the two measuring points. The measuring signal of the pressure sensor is delivered to a unit, which uses the signal to form the exhaust air volume flow.

DE 102 04 264 discloses a method for safety monitoring of a fire hearth (11) in which the air pressure (PF) within the hearth and the air pressure (PA) in the surroundings of the hearth are measured. The difference (dP) between the two is determined and, if a threshold is exceeded, a hearth control device, a safety device (38) and or an alarm is activated. The invention also relates to a corresponding device.

DE 30 40 051 -- No English abstract available.

DE 92 08 718.3 -- No English abstract available.

DE 17 87 986 -- No English abstract available.

DE 691 27 368 - No English abstract available.

JP 8-17086 discloses a method to conserve the consumption of power eliminating useless operation by a method wherein an air fan is driven to supply air when the pressure of exhaust air is below a set value and the operation of the air fan is stopped when it is above the set value. CONSTITUTION: When an operation switch of a range hood 1 is turned ON, an

exhaust fan 3 is driven to generate a flow of an exhaust in an exhaust path 2. The pressure of the exhaust flow is detected by an exhaust air pressure sensor 10 in the exhaust path 2. When the pressure of the exhaust air is below a set value, a controller 11 judges that a window and a door of a kitchen are not opened and the air fan 5 is driven to supply air thereby preventing evacuation. When the exhaust air pressure detection sensor 10 detects an air pressure above the set value, the supply of air to the kitchen is judged to be sufficient to stop the air fan 5. Thus, the driving of the air fan 5 can be confined to the need to eliminate useless operation thereby enabling conserving of the consumption of power.

JP 6-347081 discloses a method to provide the title control method wherein without providing an exclusive air inlet or a simultaneous supply-and-exhaust type range hood, the inside of a kitchen is prevented from being in a negative pressure and thermal surroundings in other rooms are not allowed to deteriorate, by opening a kitchen-line damper in a branching chamber for duct type air-conditioning, which damper is operated together with the operation of a range hood. CONSTITUTION: When indoor air is not conditioned, a damper 6 in a branching chamber 4, which damper is provided for a branch duct 9a for kitchen use, is opened by a control circuit 12. In this way, fresh air led through a ventilating duct 10a and a ventilating unit 10 is supplied into a kitchen 1 through an indoor unit, the branching chamber 4, a branch opening 5, the branch duct 9a and an outlet 8a for the kitchen use, in that order. As the result of it, even if a large amount of exhaust air is discharged outdoors from a range hood 2, a negative pressure is not produced in the kitchen 1. On the other hand, when the indoor air is conditioned, the deterioration of thermal surroundings in the kitchen 1 is not produced since cold or warm air conditioned by the indoor unit is supplied thereinto.

If no translation of pertinent portions of any foreign language patents or publications mentioned within the "INFORMATION DISCLOSURE STATEMENT BY APPLICANT" is included with the aforementioned copies of those applications, patents and/or publications, it is because no existing translation is readily available to the Applicant. As per the Notice in 1273 OG 55 (August 5, 2003) no copies of any above-mentioned US patents and US patent application publications are submitted for this application which was filed after June 30, 2003.

10/552170

Attorney Docket No. 2003P00559WOUS

JC09 Rec'd PCT/PTO 11 OCT 2005,

Respectfully submitted

John T. Winburn

Registration No. 26,822

October 11, 2005

BSH Home Appliances Corp. 100 Bosch Blvd. New Bern, NC 28562

Phone: 252-636-4397 Fax: 714-845-2807

john.winburn@bshg.com

JC09 Rec'd PCT/PTO 15 52 1 7 0

PTO/SB/88A (08-03)
Approved for use through 07/31/2006. OMB 0651-0031

Approved for use through U7/37/2006, CMB (953-1003)

U.S. Patent and Theometric Machine Modern Commence
U.S. Patent and Theometric Machine Modern Mod

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)
of 3

Sheet 1

Application Number Unknown
Filing Date Concurrently herewit
First Named Inventor Reinhold Roy
Art Unit
Examiner Name
Z003P00559WOUS

				DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Retevan Figures Appear
/SM/	-	Number-Kind Code ^{2 (# known)}			Figures Appear
/ OIVI/	1	^{US-} 4,552,059	11-12-1985	Gary J. Potter	
		US-			
	-	US-	1		
		US-			
	T	US-	1		
		US-			
	_	US-			-
		US-			
		US-	1		
		US-			
*		US-	1		
		US-			

FOREIGN PATENT DOCUMENTS						
Exeminer Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
IIIIuuis	110.	Country Code ³ "Number * Kind Code* (if known)	MM-DD-YYYY	Applicant of Cited Document	Or Relevant Figures Appear	T ⁶
/SM/		DE 91 01 095	04-18-1991	Invent GmbH		
1		WO 93/13881	07-22-1993	Per-Martin Hedman, et		V
		DE 100 28 333	12-06-2001	Armin Bauer, et al.		
		EP 0 411 599	08-01-1990	Peter Haase		
		DE 197 48 922	05-06-1999	Dietmar Krieg		
\forall		DE 197 26 864	02-04-1999	Waldner		

1	Examiner Signature	/Samantha Miller/	Date Considered	07/16/2010

"EXAMINER Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line strough clatton if not in conformance end not considered, include copy of this form with next communication to applicant. Applicant's unique clatton designation number (optional). "See Kinds Codes of USPTO Patend December 1, by the two-left code (WIPD Standard S1.3)." For USPTO Patend December 1, by the two-left code (WIPD Standard S1.3)." For USPTO Patend December 1, by the two-left code (WIPD Standard S1.3). "For USPTO Patend December 1, by the two-left code (WIPD Standard S1.3)." For USPTO Patend December 1, by the two-left code (WIPD Standard S1.3). "For USPTO Patend December 1, by the two-left code (WIPD Standard S1.3)." For USPTO Patend S1.3, "For USPTO Patend S1.3," For US

The cellection decommodion is required by 37 CFR 197 and 198. The information is required to obtain or retain e benefit by the public which is to fig part by the USPTO processing an application. Confidentially is governed by 58 U.S. CE 200 and 37 CFR 11.4 The categories is estimated to take 2 comprises. Including gethering, preparing, and submitting the completed application form to the USPTO. Then will very deposition in estimated to take 2 completed application form to the USPTO. Then will very deposition of the CENTRO processing and submitting the complete form to the USPTO. Then will very deposition for the CENTRO processing the Section of the CENTRO processing the Section (Section 1997) and the Section 1997 and the Section 19

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

JC09 Rec'd PCT/PTO 11 OCT 2005

PTO/SB/08A (08-03) Approved for use through 07/31/2006. OMB 0651-0031

Under the Paperwork Reduction Act of 1995, no persons are required	U.S. Patent and Trac	emark Office; U.S. DEPARTMENT OF COMMERCE ation unless it contains a valid OMB control number.	
Substitute for form 1449/PTO	Complete if Known		
	Application Number	Unknown	
INFORMATION DISCLOSURE	Filing Date	Concurrently herewit	
	First Named Inventor	Reinhold Roy	
STATEMENT BY APPLICANT	Art Unit		
(Use as many sheets as necessary)	Examiner Name		

. 4

Attorney Docket Number 2003P00559WOUS Sheet 2 of 3 U. S. PATENT DOCUMENTS Examiner Document Number Publication Date Name of Patentee or Pages, Columns, Lines, Where MM-DD-YYYY Applicant of Cited Document Relevant Passages or Relevant Figures Appear Number-Kind Code^{2 (F known)} US-Ū\$-US-US-US-ŲS-US-118. US-US-US-US-

	FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.1		Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages			
		Country Code ³ "Number * "Kind Code ⁵ (if known)	MM-DD-YYYY		Or Relevant Figures Appear	T ⁰		
/SM/		DE 102 04 264	07-10-2003	Dierk Astfalk, et al.				
		DE 30 40 051	06-03-1982	Georg Röhl				
		DE 92 08 718	09-17-1992	Friedrich Bürcher				
		DE 1 781 986	01-29-1959	Ernst Göllner				
W		DE 691 27 368	05-19-1993	Osman Ahmed, et al.				
-		JP 8-170846	07-02-1996	Ohira Noboru				

	Examiner Signature	/Samantha Miller/	Date Considered	07/16/2010		

US-

*EXAMINEE: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered, whether or not citation is in conformance with MPEP 809. Draw line through citation is in conformance and not considered, include copy of this form with next communication to applicant. *Applicant's unique citation designation number (optional.)* See Kinds Codes of the Code (APPC Standard ST3). *For the comment, by the not-belled rocket (APPC Standard ST3). *For the comment, by the not-belled rocket (APPC Standard ST3). *For the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. *Applicant is to place a check merk here if English language Translation is statisticated.

Infrastration is autorized.

Infrastration is autorized.

Infrastration is required by 37 CFR 197 and 198. The information is required to obtain or estain a benefit by the public which is to lite (and by the public which is to lite (and by the public which is to lite (and by the public which is lite). The public which is a lite of the public of the public which is a lite of the public which is a lite of the public of t

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

10/552170 JC09 Rec'd PCT/PTO 11 OCT 2005

PTO/SB/08A (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Inder the Paperwork Reduction Act of 1995, no persons are required to res d to a collection of information unless it contains a valid OMB control number Complete if Known Substitute for form 1449/PTO Application Number Unknown Filing Date Concurrently herewit INFORMATION DISCLOSURE First Named Inventor Reinhold Roy STATEMENT BY APPLICANT Art Unit (Use as many sheets as necessary) Examiner Name Attorney Docket Number 2003P00559WOUS Sheet 3 of 3

			U. S. PATENT D	OCUMENTS	
Examiner Initials*	Cite No.1	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passeges or Releven
	L	Number-Kind Code ^{2 (Finance)}			Figures Appear
		US-			
		US-			
		US-	1		
		US-			
		US-		•	
		US-			
		US-			
		US-			

	FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.1	Foreign Petent Document	Publication Dete	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevent Pessages		
		Country Code ³ Number * Kind Code ⁵ (# known)	MM-DD-YYYY		Or Relevant Figures Appear	T [®]	
/SM/		JP 6-347081	12-20-1994	Tanaka Shigeo, et al.			
/SM/		DIN 1946-6:1998-10	10-01-1998				
/SM/		International Search Report based on PC	T/EP2004/003	885		2	
						⊢	
	-					H	
	١.		ľ				

1	Examiner	(Camantha Millar)	Dale	07/40/0040
ı	Signature	/Samantha Miller/	Considered	07/16/2010

"EXAMNER" Initial if reference considered, whether or not citation is in conformance with MPEP 608. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). "See Kints Cobes of USPTO Priental December is a <u>insultational point of the Communication of t</u>

Immutation is autoricia.

Immutation is autoricia.

Immutation is required by 37 CFR 187 and 188. The information is required to between or retain a benefit by the public which is to file faced by the USPTO to proceed an application. Confidentially is growered by \$8 U.S. C. 120 and 37 CFR 14.1 in this collection is destinated to take 2 hower to compute, including againstiving, preparing, and submitting the completed application form to the USPTO. Time will very deponding upon the individual case. Any comments on the amount of the proper profession for project in life man andress suggestions for predicting this burdon, shauld be sent to the Chief information Officer, U.S. Pelant and Traesmark Office, P.O. Box 1450, Alexandriu, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Commissioner for Petents, P.O. 80 x 1450, Alexandriu, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.